

Message

From: Yap-deffler, Yazmine [Yap-Deffler.Yazmine@epa.gov]
Sent: 5/15/2018 7:47:37 PM
To: Dietz, Linda [Dietz.Linda@epa.gov]
Subject: RE: Bishop Tube

I'll have it to you & Steve tomorrow.

Thanks,
Yaz

Yazmine J. Yap-Deffler, Chief
Site Assessment & Non-NPL Federal Facilities Branch (3HS12)
US EPA Region III
1650 Arch Street
Philadelphia, PA 19103
215-814-3369 (Office)
267-761-2089 (Cell)
yap-deffler.yazmine@epa.gov

From: Dietz, Linda
Sent: Tuesday, May 15, 2018 3:46 PM
To: Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Subject: RE: Bishop Tube

As soon as you can.

Linda Dietz, Acting Deputy Director
Hazardous Sites Cleanup Division
EPA Region 3
215-814-3195 (desk)
215-892-8261 (cell)
Dietz.linda@epa.gov

From: Yap-deffler, Yazmine
Sent: Tuesday, May 15, 2018 7:58 AM
To: Dietz, Linda <Dietz.Linda@epa.gov>
Subject: RE: Bishop Tube

Hi Linda,
When do you need this by?

Thanks,

Yaz

Yazmine J. Yap-Deffler, Chief
Site Assessment & Non-NPL Federal Facilities Branch (3HS12)
US EPA Region III
1650 Arch Street
Philadelphia, PA 19103
215-814-3369 (Office)
267-761-2089 (Cell)
yap-deffler.yazmine@epa.gov

From: Dietz, Linda
Sent: Monday, May 14, 2018 12:56 PM
To: Koffi, LaRonda <Koffi.LaRonda@epa.gov>; Hirsh, Steven <Hirsh.Steven@epa.gov>; Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Subject: RE: Bishop Tube

Yes - Thanks

Linda Dietz, Acting Deputy Director
Hazardous Sites Cleanup Division
EPA Region 3
215-814-3195 (desk)
215-892-8261 (cell)
Dietz.linda@epa.gov

From: Koffi, LaRonda
Sent: Monday, May 14, 2018 12:35 PM
To: Dietz, Linda <Dietz.Linda@epa.gov>; Hirsh, Steven <Hirsh.Steven@epa.gov>; Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Subject: RE: Bishop Tube

Linda,
I guess they should download and use this briefing format?

[RA Briefing One Pager 17APR.docx](#)

To: Hirsh, Steven <Hirsh.Steven@epa.gov>; Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Cc: Koffi, LaRonda <Koffi.LaRonda@epa.gov>
Subject: Bishop Tube

Hi – Several months ago Maya Van Rossum came into EPA and talked about the Bishop Tube Site (PA) to us. I can't remember if either of you were in your position at that time but I do remember Site Assessment was present. Cos wants to call the Township and get a status of what is going on. In preparation, he is requesting a one page briefing paper. Can you have your staff put a paper together with their most recent information. Please send it to LaRonda, Karen, and I. Thanks

Linda Dietz, Acting Deputy Director
Hazardous Sites Cleanup Division
EPA Region 3
215-814-3195 (desk)
215-892-8261 (cell)
Dietz.linda@epa.gov